

# **Historic, Archive Document**

Do not assume content reflects current  
scientific knowledge, policies, or practices.


















FEDERAL - STATE COOPERATIVE  
SNOW SURVEYS AND IRRIGATION WATER FORECASTS  
for

**Montana and Northern Wyoming  
Upper Missouri, Upper Columbia and  
Yellowstone Rivers**

By  
Division of Irrigation, Soil Conservation Service  
United States Department of Agriculture  
and  
Montana Agricultural Experiment Station

In cooperation with the U. S. Forest Service, U. S. Geological Survey, National Park Service, U. S. Bureau of Reclamation, State Engineers of Montana and Wyoming and other Federal, State and local organizations.

As of  
**JAN 1 1952**



235883

FEDERAL-STATE COOPERATIVE SNOW SURVEYS

AND

IRRIGATION WATER FORECASTS

FOR

MONTANA and NORTHERN WYOMING

Upper Missouri and Upper Columbia River  
Basins

Report Prepared  
by

Ashton R. Codd: Hydraulic Engineer  
Soil Conservation Service

and

O. W. Monson: Irrigation Engineer  
Montana Agricultural Experiment Station

Division of Irrigation  
Soil Conservation Service

and

Montana Agricultural Experiment Station  
Bozeman, Montana



OUTLOOK FOR  
IRRIGATION WATER SUPPLY  
January 1, 1952

The snow-fall in the mountains so far this season is above the average amount usually found on January 1. If the remainder of the winter season will continue to bring snowstorms, there should be an excellent water supply by the first of April and May. It is too early in the season to begin forecasting for the summer.

Snow survey courses measured on or about the first of January on the Jefferson, Madison and Gallatin Rivers indicate approximately 95% above average snow pack at the present time. The main stem of the Missouri from Three Forks down-stream is close to the same figure.

The Upper Yellowstone River snow courses at Lake Canyon and Cook City in Yellowstone Park indicate only 12 to 20% above average snow pack for January, which is still good.

On the Columbia River Basin, snow surveys indicate about 50% above average conditions for this time of season. The Flathead River and Clark Fork Basins have a good start for an excellent season's water supply.

More comparative data will be available on February 1.



MONTANA SNOW SURVEYS JANUARY 1, 1952

MISSOURI BASIN DRAINAGE BASIN AND SNOW COURSE **	No.	Elev. Survey 1952	Date of Survey 1952	Snow Depth (In.) 1952	Water Content (Inches)						Average on Data January 1 1949			Average on Data January 1 1950		
					January 1 1952	Past Records	1951	1950	1949	Avg.	%Avg.	Avg.	%Avg.	Avg.	%Avg.	
<b>JEFFERSON RIVER</b>																
Camp Creek Idaho 6	12-E-3	6800	Jan. 3	31	8.1	3.0	4.7	3.5	3.9	208	8.9	91	16	--	--	
Kilgore			Jan. 3	30	8.2	9.0	--	5.2	4.4	184	10.9	75	--			
<b>MADISON RIVER</b>																
Hebgen Dam	11-E-5	6550	Jan. 2	39	10.6	3.9	4.8	8.5	5.4	196	12.1	88	18			
West Yellowstone	11-E-7	6700	Jan. 2	35	9.0	5.6	4.1	7.8	4.9	184	11.2	80	15			
Island Park Idaho	10	3600	Dec. 29	52	11.1	4.0	5.9	8.4	5.6	218	15.4	72	17			
Valley View Idaho	9	6500	Dec. 29	49	11.6	3.4	6.1	8.0	5.1	228	14.6	80	16			
Big Springs Idaho	3	6500	Dec. 28	57	12.5	6.1	7.1	11.3	7.1	176	20.5	61	17			
<b>GALLATIN RIVER</b>																
New World	10-D-1	6700	Jan. 3	28	7.9	4.4	2.0	6.0	5.1	155	10.0	79	4			
21-Mile	11-E-6	7150	Jan. 3	54	14.9	7.3	7.4	12.7	7.7	193	16.5	90	14			
<b>MISSOURI MAIN STEM</b>																
Chessman Reservoir	12-C-5	6200	Jan. 2	19	4.3	1.5	1.7	3.1	2.1	205	4.6	94	17			
Ten Mile Lower	12-C-2	6250	Jan. 3	25	5.3	3.8	1.7	4.2	3.2	166	6.4	83	17			
Ten Mile Middle	12-C-3	6800	Jan. 4	31	7.3	5.2	3.3	6.2	4.7	155	10.3	71	18			
Ten Mile Upper	12-C-4	8000	Jan. 4	35	9.3	6.3	4.1	7.7	6.0	155	13.2	71	18			
<b>MARIAS RIVER</b>																
Marias Pass	13-A-5	5250	Jan. 3	43	11.4	7.7	10.3	9.9	7.2	158	17.5	65	18			
<b>UPPER YELLOWSTONE</b>																
Lake	10-E-4	7850	Jan. 1	32	5.8	4.0	3.1	7.4	5.0	116	9.3	62	4			
Canyon	10-E-3	7750	Jan. 1	50	8.0	5.8	5.8	7.7	7.1	112	16.5	49	7			
Cook City	10-E-7	7400	Dec. 31	29	5.6	3.4	2.3	6.2	4.2	133	7.6	74	6			
East Entrance	10-E-6	7000	Jan. 1	30	3.8	---	---	---	---	---	14.6	26	1			
Lewis Lake Divide	10-E-8	7900	Jan. 3	88	25.2	21.2	21.6	25.3	20.8	122	45.1	56	33			
Thumb Divide	10-E-7	7900	Jan. 3	58	14.2	---	---	---	---	---	45.0	57	25.0			
Aster Creek	10-E-9	7700	Jan. 3	74	19.9	---	---	---	---	---	27.5	73	33			



MONTANA SNOW SURVEYS JANUARY 1, 1952

COLUMBIA BASIN		DRAINAGE BASIN AND SNOW COURSE **		Date of Survey 1952	Snow Depth (In.)	Water Content (Inches)						
No.	Elev. Mts.	No.	Elev. Pass	Jan. 1 1952	Jan. 1 1952	Past Records	1950	1949	Average Date January 1	Average on April 1	%Ave.	%Ave.
<u>FLATHEAD RIVER</u>		<u>Desert Mt.</u>		5600	Dec. 28	4.1	9.7	6.9	7.6	128	15.2	64
Marias Pass		<u>13-A-5</u>		5250	Jan. 3	4.3	11.4	7.7	9.9	158	17.5	65
Holbrook		<u>13-B-13</u>		4530	Jan. 2	3.1	7.1	---	---	---	---	1
<u>CLARK FORK RIVER</u>		<u>Chessman Reser.</u>		12-C-5	6200	Jan. 2	19	4.3	1.7	3.1	2.1	205
Ten Mile Lower		<u>12-C-2</u>		6250	Jan. 3	25	5.3	3.8	4.2	3.2	4.6	84
Ten Mile Middle		<u>12-C-3</u>		6800	Jan. 4	31	7.3	5.2	6.2	4.7	5.2	83
Ten Mile Upper		<u>12-C-4</u>		8000	Jan. 4	35	9.3	6.3	4.1	7.7	6.0	10.3
Rainy Lake		<u>13-B-6</u>		4300	Jan. 2	4.0	8.0	---	---	---	13.2	13.2
Coyote Hill		<u>14800</u>		Jan. 2	3.3	8.0	---	---	---	---	---	1
Gibbons Pass		<u>13-D-2</u>		7100	Jan. 2	6.0	15.8	---	15.6	12.0	13.2	22.8
<u>PEND OREILLE RIVER</u>		<u>Above Burke</u>										69
(Idaho 1)		<u>14100</u>		Jan. 2	5.4	12.9	---	---	---	---	---	108
Lookout		<u>15-B-2</u>		5250	Jan. 2	8.5	24.2	21.1	24.2	21.1	16.2	33.0





Federal - State - Private  
COOPERATIVE SNOW SURVEYS

—  
Furnishes the basic data  
necessary for forecasting  
water supply for irrigation,  
domestic and municipal water  
supply, hydro-electric power  
generation, navigation,  
mining and industry

—

"WATER IS THE WEST'S GREATEST RESOURCE"